

Package ‘evgam’

September 3, 2026

Type Package

Title Generalised Additive Extreme Value Models

Version 1.0.2

Date 2026-08-20

Maintainer Ben Youngman <b.youngman@exeter.ac.uk>

Description Methods for fitting various extreme value distributions with parameters of generalised additive model (GAM) form are provided. For details of distributions see Coles, S.G. (2001) <doi:10.1007/978-1-4471-3675-0>, GAMs see Wood, S.N. (2017) <doi:10.1201/9781315370279>, and the fitting approach see Wood, S.N., Pya, N. & Säfken, B. (2016) <doi:10.1080/01621459.2016.1180986>. Details of how evgam works and various examples are given in Youngman, B.D. (2022) <doi:10.18637/jss.v103.i03>.

License GPL-3

Imports Rcpp (>= 1.1.1-1.1), mgcv, Matrix, methods

LinkingTo Rcpp, RcppArmadillo

Depends R (>= 3.5.0)

Encoding UTF-8

Config/roxygen2/version 8.1.0

NeedsCompilation yes

Author Ben Youngman [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-0215-8189>>)

Repository CRAN

Date/Publication 2026-09-03 14:30:09 UTC

Contents

bgev	2
bgev2gev	4
colplot	6
COprcp	7
custom.family.evgam	8
df2matdf	11

dfbind	12
evgam	12
evgam.control	16
extremal	17
family.evgam	18
FCtmax	20
fitted.evgam	20
fremantle	21
geoevgam	22
laplace	23
logLik.evgam	24
pinv	24
plot.evgam	25
plot.geoevgam	26
polarise	27
predict.evgam	28
predict.geoevgam	29
print.evgam	30
qev	31
rmvnorm	33
runmax	33
seq_between	34
simulate.evgam	35
summary.evgam	36

Index 38

bgev

The blended generalised extreme value distribution

Description

Density, distribution function, quantile function and random generation for the blended generalised extreme value distribution with parameters location, scale, shape, pa, pb, alpha and beta.

Usage

```
dbgev(
  x,
  location,
  scale,
  shape,
  pa = 0.05,
  pb = 0.2,
  alpha = 0.5,
  beta = 0.5,
  log = FALSE
)
```

```

pbgev(
  q,
  location,
  scale,
  shape,
  pa = 0.05,
  pb = 0.2,
  alpha = 0.5,
  beta = 0.5,
  lower.tail = TRUE,
  log.p = FALSE
)

qbgev(
  p,
  location,
  scale,
  shape,
  pa = 0.05,
  pb = 0.2,
  alpha = 0.5,
  beta = 0.5,
  lower.tail = TRUE,
  log.p = FALSE
)

rbgev(n, location, scale, shape, pa = 0.05, pb = 0.2, alpha = 0.5, beta = 0.5)

```

Arguments

x, q	vector of quantiles.
location, scale, shape	location, scale and shape parameters.
pa, pb, alpha, beta	Gumbel to GEV mixing parameters; see Details.
log, log.p	logical; if TRUE, probabilities p are given as log(p).
lower.tail	logical; if TRUE (default), probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
p	vector of probabilities.
n	number of observations.

Details

The blended generalised extreme value distribution with location parameter q_α , scale parameter s_β and shape parameter ξ has cumulative distribution function given by

$$H(x \mid q_\alpha, s_\beta, \xi) = F(x \mid q_\alpha, s_\beta, \xi)^{p(x')} G(x \mid \tilde{q}_\alpha \tilde{s}_\beta)^{1-p(x')}$$

where

$$F(x \mid q_\alpha, s_\beta, \xi) = \exp \left\{ - \left[\frac{x - q_\alpha}{s_\beta(\ell_{1-\beta/2, \xi} - \ell_{\beta/2, \xi})^{-1}} + \ell_{\alpha, \xi} \right]_+^{-1/\xi} \right\}$$

with $\ell_{a, \xi} = (-\log a)^{-\xi}$, $[x]_+ = \max(0, x)$, **alpha** and **beta** parameters α and β , respectively,

$$G(x \mid q_{\tilde{\alpha}}, s_{\tilde{\beta}}) = \exp \left\{ - \exp \left[- \left\{ \frac{x - \tilde{q}_\alpha}{\tilde{s}_\beta(\ell_{1-\beta/2} - \ell_{\beta/2})^{-1}} + \ell_\alpha \right\} \right] \right\}$$

with $\ell_a = \log(-\log a)$,

$$\tilde{q}_\alpha = a - \frac{(b-a)(\ell_\alpha - \ell_{p_a})}{\ell_{p_a} - \ell_{p_b}} \quad \text{and} \quad \tilde{s}_\beta = \frac{(b-a)(\ell_{\beta/2} - \ell_{1-\beta/2})}{\ell_{p_a} - \ell_{p_b}},$$

with $a = F^{-1}(p_a \mid q_\alpha, s_\beta, \xi)$, $b = F^{-1}(p_b \mid q_\alpha, s_\beta, \xi)$, with **pa** and **pb** parameters p_a and p_b , respectively, and where $x' = (x - a)/(b - a)$ and $p(x)$ denotes the cumulative distribution of the Beta(5, 5) distribution.

Default values for **pa**, **pb**, **alpha** and **beta** are taken from Castro-Camilo et al. (2022).

Value

dbgev gives the density, **pbgev** gives the distribution function, **qbgev** gives the quantile function, and **rbgev** generates random deviates.

References

Castro-Camilo, D., Huser, R., & Rue, H. (2022). Practical strategies for generalized extreme value-based regression models for extremes. *Environmetrics*, 33(6), e2742. doi:10.1002/env.2742

See Also

[predict.evgam](#)

Examples

```
dbgev(3, 2, 1, .1)
```

bgev2gev

*Conversion between blended generalised extreme value distribution
and generalised extreme value distribution parameters*

Description

Conversion between location, scale and shape parameters of the generalised extreme value distribution and corresponding parameters of blended generalised extreme value distribution in both directions.

Usage

```

bgev2gev(
  location,
  scale,
  shape,
  pa = 0.05,
  pb = 0.2,
  alpha = 0.5,
  beta = 0.5,
  simplify = FALSE
)

gev2bgev(
  location,
  scale,
  shape,
  pa = 0.05,
  pb = 0.2,
  alpha = 0.5,
  beta = 0.5,
  simplify = FALSE
)

```

Arguments

location, scale, shape	location, scale and shape parameters.
pa, pb, alpha, beta	Gumbel to GEV mixing parameters; see Details.
simplify	logical; should simplify2array() be called at the end?

Details

The blended generalised extreme value distribution has location parameter q_α , scale s_β and shape ξ parameters; see, e.g., dbgev. The generalised extreme value distribution's location and scale parameters in its typical form are given by $\mu = q_\alpha - s_\beta(\ell_{\alpha,\xi} - 1)/(\ell_{1-\beta/2,\xi} - \ell_{\beta/2,\xi})$ and $\sigma = \xi s_\beta/(\ell_{1-\beta/2,\xi} - \ell_{\beta/2,\xi})$. So bgev2gev gives the mapping $(q_\alpha, s_\beta, \xi) \mapsto (\mu, \sigma, \xi)$. The reverse mapping, $(\mu, \sigma, \xi) \mapsto (q_\alpha, s_\beta, \xi)$, is given by gev2bgev.

Value

A list or array if simplify = TRUE.

References

Castro-Camilo, D., Huser, R., & Rue, H. (2022). Practical strategies for generalized extreme value-based regression models for extremes. *Environmetrics*, 33(6), e2742. doi:10.1002/env.2742

See Also[dbgev](#)**Examples**

```
bgev2gev(2, 1, .1)
gev2bgev(2, 1, .1)
```

colplot*Scatter plot, with variable-based point colours*

Description

Scatter plot, with variable-based point colours

Usage

```
colplot(
  x,
  y,
  z,
  n = 20,
  z.lim = NULL,
  breaks = NULL,
  palette = heat.colors,
  rev = TRUE,
  pch = 21,
  add = FALSE,
  ...,
  legend = FALSE,
  n.legend = 6,
  legend.pretty = TRUE,
  legend.plot = TRUE,
  legend.x,
  legend.y = NULL,
  legend.horiz = FALSE,
  legend.bg = par("bg")
)
```

Arguments

x	a vector of x coordinates
y	a vector of y coordinates
z	a variable for defining colours
n	an integer giving the number of colour levels, supplied to pretty

z.lim	xxx
breaks	a vector or breaks for defining color intervals; defaults to NULL, so pretty and n are used on z
palette	a function for the color palette, or colors between breaks; defaults to heat.colors
rev	logical: should the palette be reversed? Defaults to TRUE
pch	an integer giving the plotting character, supplied to plot
add	should this be added to an existing plot? Defaults to FALSE
...	other arguments passed to plot
legend	should a legend be added? Defaults to FALSE
n.legend	an integer giving the approximate number of legend entries; defaults to 6
legend.pretty	logical: should the legend values produced by pretty ? Otherwise they are exact. Defaults to TRUE
legend.plot	passed to legend 's plot argument
legend.x	passed to legend 's x argument
legend.y	passed to legend 's y argument
legend.horiz	passed to legend 's horiz argument
legend.bg	passed to legend 's bg argument

Value

A plot

Examples

```
x <- runif(50)
y <- runif(50)
colplot(x, y, x * y)
colplot(x, y, x * y, legend=TRUE, legend.x="bottomleft")
colplot(x, y, x * y, legend=TRUE, legend.pretty=FALSE, n.legend=10,
  legend.x="bottomleft", legend.horiz=TRUE)
```

C0prcp

Colorado daily precipitation accumulations

Description

Three objects: 1) C0prcp, a 404,326-row data frame with columns date, prcp and meta_row; 2) C0prcp_meta, a 64-row data frame, with meta data for 64 stations. 3) C0elev, a list of elevation for the domain at 0.02 x 0.02 degree resolution. Precipitation amounts are only given for April to October in the years 1990 - 2019. The domain has a longitude range of [-106, -104] and a latitude range [37, 41]. These choices reflect the analysis of Cooley et al. (2007).

Usage

```
data(COprcp) # loads all three objects
```

Format

A data frame with 2383452 rows and 8 variables

The variables are as follows:

date date of observation

prcp daily rainfall accumulation in mm

meta_row an identifier for the row in COprcp_meta; see ‘Examples’

lon longitude of station

lat latitude of station

elev elevation of station in metres

id GHCDN identifier

References

Cooley, D., Nychka, D., & Naveau, P. (2007). Bayesian spatial modeling of extreme precipitation return levels. *Journal of the American Statistical Association*, 102(479), 824-840.

Examples

```
library(evgam)
data(COprcp)

brks <- pretty(COelev$z, 50)
image(COelev, breaks=brks, col=rev(heat.colors(length(brks[-1]))))
colplot(COprcp_meta$lon, COprcp_meta$lat, COprcp_meta$elev, breaks=brks, add=TRUE)
```

custom.family.evgam	<i>Custom distributions with evgam</i>
---------------------	---

Description

Users can supply code to fit an arbitrary distribution with evgam using family = "custom". See Details for more information and the example below, which demonstrates fitting of the Gumbel distribution.

Details

Users should supply a list to `evgam` called `custom.fns`, which comprises the following functions: `d0`, which evaluates the negative log-likelihood; `d120`, which evaluates its first and second derivatives; and, optionally, `d340`, which evaluates its third and fourth derivatives. The list may also contain `q`, which evaluates the custom distribution's quantile function, for use with `predict`, `prob = ...`). The list may also contain `unlink`, which gives functions to reverse any link functions (`unlink`) used with linear predictors, so that `predict(..., type = "response")` works meaningfully, and `unlink` may also have an attribute `deriv`, which gives derivatives of `unlink` functions, which allows `predict(..., type = "response", std.err = TRUE)` to return meaningful values.

Trying to mimic the Gumbel example below for your chosen distribution is almost certainly the easiest way to get `family = "custom"` to do what you want.

References

Youngman, B. D. (2022). `evgam`: An R Package for Generalized Additive Extreme Value Modules. Journal of Statistical Software. To appear. doi:[10.18637/jss.v103.i03](https://doi.org/10.18637/jss.v103.i03)

See Also

[family.evgam](#)

Examples

```
# Gumbel custom likelihood

# negative log likelihood
gumd0 <- function(pars, likdata) {

  # this is needed, and should be fine
  pars <- split(pars, likdata$idpars)

  # likdata$X should be set up by evgam
  mu <- likdata$X[[1]] %*% pars[[1]]
  lsigma <- likdata$X[[2]] %*% pars[[2]]
  y <- likdata$y

  y <- (y - mu) * exp(-lsigma)
  nllh <- sum(lsigma - y + exp(y))

  return(nllh)

}

# first and second derivatives of neg. log lik. in order
# d_mu, d_lsigma, d_{mu, mu}, d_{mu, lsigma}, d_{lsigma, lsigma}
gumd12 <- function(pars, likdata) {

  # this is needed, and should be fine
  pars <- split(pars, likdata$idpars)

  # likdata$X should be set up by evgam
```

```

mu <- likdata$X[[1]] %*% pars[[1]]
lsigma <- likdata$X[[2]] %*% pars[[2]]
y <- likdata$y

out <- matrix(0, length(y), 5)

ee1 <- exp(lsigma)
ee2 <- y - mu
ee3 <- ee2/ee1
ee4 <- exp(ee3)
ee5 <- (ee3 + 1) * ee4
ee6 <- 1 - ee4

# first derivatives
out[, 1] <- ee6/ee1
out[, 2] <- ee6 * ee2/ee1 + 1

# second derivatives
out[, 3] <- ee4/ee1^2
out[, 4] <- -((1 - ee5)/ee1)
out[, 5] <- (ee5 - 1) * ee2/ee1

return(out)
}

gum_fns <- list(d0 = gumd0, d120 = gumd12, d340 = NULL)

unlink <- list(NULL, function(x) exp(x))
attr(unlink[[2]], "deriv") <- unlink[[2]]
qgumbel <- function(p, pars1, pars2) pars1 - exp(pars2) * log(-log(p))

gum_fns$q <- qgumbel
gum_fns$unlink <- unlink

data(C0prcp)
C0prcp <- cbind(C0prcp, C0prcp_meta[C0prcp$meta_row,])
C0prcp$year <- format(C0prcp$date, "%Y")
C0prcp_gev <- aggregate(prcp ~ year + meta_row, C0prcp, max)
C0prcp_gev <- cbind(C0prcp_gev, C0prcp_meta[C0prcp_gev$meta_row,])

inits <- sqrt(6 * var(C0prcp_gev$prcp) / pi^2)
inits <- c(mean(C0prcp_gev$prcp) - inits[1] * 0.5772156649, log(inits[1]))
fmla_gum <- list(location = prcp ~ s(lon, lat) + s(elev), logscale = ~ s(lon, lat))
m <- evgam(fmla_gum, data = C0prcp_gev, family = 'custom', custom.fns = gum_fns,
trace = 2, inits = inits)

predict(m, C0prcp_gev[1:10,])
predict(m, C0prcp_gev[1:10,], type = 'response')
predict(m, C0prcp_gev[1:10,], prob = .99)

```

df2matdf	<i>Convert a response vector in a data frame to a matrix</i>
----------	--

Description

Convert a response vector in a data frame to a matrix

Usage

```
df2matdf(x, formula)
```

Arguments

x	a data frame
formula	a formula

Details

This function identifies repeated combinations of explanatory variables in a mgcv formula and then creates a $n \times m$ matrix response variable in which each row corresponds to one of n unique explanatory variable combinations and each column to one of m replicates with the combination. Here m is the maximum number of replicates for an explanatory variable combination; rows of the matrix are padded with NAs at the end where there are fewer than m replicates.

Value

A data.frame

See Also

[match](#), [unique](#), [duplicated](#)

Examples

```
df0 <- expand.grid(x = 1:2, y = 3:4)
df1 <- rbind(df0, df0)
df1$z <- runif(nrow(df1))
df2matdf(df1, z ~ x + y)
```

dfbind	<i>Bind a list of data frames</i>
--------	-----------------------------------

Description

Bind a list of data frames

Usage

```
dfbind(x)
```

Arguments

x a list of data frames

Value

A data frame

See Also

[rbind](#)

Examples

```
z <- list(data.frame(x=1, y=1), data.frame(x=2, y=2))
dfbind(z)
```

evgam	<i>Fitting generalised additive extreme-value family models</i>
-------	---

Description

Function `evgam` fits generalised additive extreme-value models. It allows the fitting of various extreme-value models, including the generalised extreme value and Pareto distributions. It can also perform quantile regression via the asymmetric Laplace distribution.

Usage

```

evgam(
  formula,
  data,
  family = "gev",
  correctV = TRUE,
  rho0,
  inits = NULL,
  outer = NULL,
  control = evgam.control(),
  removeData = FALSE,
  trace = 0,
  knots = NULL,
  maxdata = 1e+20,
  maxspline = 1e+20,
  compact = FALSE,
  gpd.args = list(),
  ald.args = list(),
  exi.args = list(),
  pp.args = list(),
  bgev.args = list(),
  sandwich.args = list(),
  egpd.args = list(),
  custom.fns = list(),
  sp = NULL,
  gamma = 1,
  sparse = FALSE,
  args = list(),
  jitter = TRUE
)

```

Arguments

formula	a list of formulae for location, scale and shape parameters, as in gam
data	a data frame
family	a character string giving the type of family to be fitted; defaults to "gev"
correctV	logical: should the variance-covariance matrix include smoothing parameter uncertainty? Defaults to TRUE
rho0	a scalar or vector of initial log smoothing parameter values; a scalar will be repeated if there are multiple smoothing terms
inits	a vector or list giving initial values for constant basis coefficients; if a list, a grid is formed using expand.grid , and the 'best' used; defaults to NULL, so initial values are automatically found
outer	a character string specifying the outer optimiser is full "Newton", "BFGS" or uses finite differences, "FD"; defaults to "BFGS"
control	a list of lists of control parameters to pass to inner and outer optimisers; defaults to <code>evgam.control()</code>

<code>removeData</code>	logical: should data be removed from evgam object? Defaults to FALSE
<code>trace</code>	an integer specifying the amount of information supplied about fitting, with <code>-1</code> suppressing all output; defaults to <code>0</code>
<code>knots</code>	passed to <code>s</code> ; defaults to <code>NULL</code>
<code>maxdata</code>	an integer specifying the maximum number of data rows. data is sampled if its number of rows exceeds <code>maxdata</code> ; defaults to <code>1e20</code>
<code>maxspline</code>	an integer specifying the maximum number of data rows used for spline construction; defaults to <code>1e20</code>
<code>compact</code>	logical: should duplicated data rows be compacted? Defaults to FALSE
<code>gpd.args</code>	a list of arguments for <code>family="gpd"</code> ; see Details
<code>ald.args</code>	a list of arguments for <code>family="ald"</code> ; see Details
<code>exi.args</code>	a list of arguments for <code>family="exi"</code> ; see Details
<code>pp.args</code>	a list of arguments for <code>family="pp"</code> ; see Details
<code>bgev.args</code>	a list of arguments for <code>family="bgev"</code> ; see Details
<code>sandwich.args</code>	a list of arguments for sandwich adjustment; see Details
<code>egpd.args</code>	a list of arguments for extended GPD; see Details
<code>custom.fns</code>	a list of functions for a custom family; see Details
<code>sp</code>	a vector of fixed smoothing parameters
<code>gamma</code>	a total penalty adjustment, such that higher values (>1) give smoother overall fits; defaults to <code>1</code> (no adjustment)
<code>sparse</code>	logical: should matrices be coerced to be recognised as sparse? Defaults to FALSE
<code>args</code>	a list of arguments to supply to the likelihood. Default to none, which is <code>list()</code>
<code>jitter</code>	logical: should initial rho values be jittered before they're optimized? Defaults to TRUE

Details

See [family.evgam](#) for details of distributions that can be fitted with evgam using `family = "..."` and details of `gpd.args`, `ald.args`, `exi.args`, `pp.args`, `bgev.args` and `egpd.args` and see [custom.family.evgam](#) for details of using `family = "custom"` with `custom.fns`.

Arguments for the sandwich adjustment are given by `sandwich.args`. A character string `id` can be supplied to the list, which identifies the name of the variable in data such that independence will be assumed between its values. The method for the adjustment is supplied as `"magnitude"` (default) or `"curvature"`; see Chandler & Bate (2007) for their definitions.

Value

An object of class `evgam`

References

- Chandler, R. E., & Bate, S. (2007). Inference for clustered data using the independence loglikelihood. *Biometrika*, 94(1), 167-183.
- Wood, S. N., Pya, N., & Safken, B. (2016). Smoothing parameter and model selection for general smooth models. *Journal of the American Statistical Association*, 111(516), 1548-1563.
- Youngman, B. D. (2022). *evgam: An R Package for Generalized Additive Extreme Value Models*. *Journal of Statistical Software*. doi:10.18637/jss.v103.i03

See Also

[predict.evgam](#)

Examples

```
data(fremantle)
fmla_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fmla_gev, fremantle, family = "gev")

data(C0prcp)

## fit generalised Pareto distribution to excesses on 20mm

C0prcp <- cbind(C0prcp, C0prcp_meta[C0prcp$meta_row,])
threshold <- 20
C0prcp$excess <- C0prcp$prcp - threshold
C0prcp_gpd <- subset(C0prcp, excess > 0)
fmla_gpd <- list(excess ~ s(lon, lat, k=12) + s(elev, k=5, bs="cr"), ~ 1)
m_gpd <- evgam(fmla_gpd, data=C0prcp_gpd, family="gpd")

## fit generalised extreme value distribution to annual maxima

C0prcp$year <- format(C0prcp$date, "%Y")
C0prcp_gev <- aggregate(prcp ~ year + meta_row, C0prcp, max)
C0prcp_gev <- cbind(C0prcp_gev, C0prcp_meta[C0prcp_gev$meta_row,])
fmla_gev2 <- list(prcp ~ s(lon, lat, k=30) + s(elev, bs="cr"), ~ s(lon, lat, k=20), ~ 1)
m_gev2 <- evgam(fmla_gev2, data=C0prcp_gev, family="gev")
summary(m_gev2)
plot(m_gev2)
predict(m_gev2, newdata=C0prcp_meta, type="response")

## fit point process model using r-largest order statistics

# we have `ny=30` years' data and use top 45 order statistics
pp_args <- list(id="id", ny=30, r=45)
m_pp <- evgam(fmla_gev2, C0prcp, family="pp", args=pp_args)

## estimate 0.98 quantile using asymmetric Laplace distribution

fmla_ald <- prcp ~ s(lon, lat, k=15) + s(elev, bs="cr")
```

```
m_ald <- evgam(fmla_ald, COprcp, family="ald", args=list(tau=.98))
```

evgam.control

Create control parameters for evgam fitting

Description

Defines and updates optimization settings for both the inner and outer iterations used in extreme value generalized additive models ('evgam').

Usage

```
evgam.control(inner = NULL, outer = NULL)
```

Arguments

inner	An optional named list of control parameters to override the default values for the inner optimization loop. Defaults to NULL.
outer	An optional named list of control parameters to override the default values for the outer optimization loop. Defaults to NULL.

Details

The function returns a nested list containing settings for outer and inner optimization. Each sub-list can configure the following parameters:

- **steptol** Minimum step length tolerance. Iteration terminates if steps fall below this value. Defaults: outer = 1e-12, inner = 1e-12.
- **itlim** Maximum number of iterations allowed. Defaults: outer = 100, inner = 100.
- **fntol** Relative function convergence tolerance. Defaults: outer = 1e-8, inner = 1e-8.
- **gradtol** Convergence tolerance for the mean absolute gradient. Defaults: outer = 1e-2, inner = 1e-4.
- **stepmax** Maximum allowable step length scaled to prevent excessive jumps. Defaults: outer = 3, inner = 100.
- **alpha0** Initial step length factor for backtracking line searches. Defaults: outer = 10, inner = 1.
- **dgradtol** Derivative gradient tolerance threshold. Defaults: outer = 1e-4, inner = 1e-6.

Value

A nested named list with two components: outer and inner. Each component contains the finalized tuning values used by the fitting algorithms.

Examples

```
# Generate default control parameters
default_control <- evgam.control()

# Customise specific inner loop parameters
custom_control <- evgam.control(inner = list(itlim = 500, gradtol = 1e-6))
```

extremal	<i>Estimate extremal index using ‘intervals’ method</i>
----------	---

Description

Estimate extremal index using ‘intervals’ method

Usage

```
extremal(x, y = NULL)
```

Arguments

x	a logical vector or list of logical vectors
y	an integer vector the same length as x; see Details

Details

Intervals estimator of extremal index based on Ferro and Segers (2003)’s moment-based estimator.

If x is supplied and y is not, x is assumed to identify consecutive threshold exceedances. If x is supplied as a list, each list element is assumed to comprise identifiers of consecutive exceedances. If y is supplied, x must be a logical vector, and y gives positions of x in its original with-missing-values vector: so y identifies consecutive x.

Value

A scalar estimate of the extremal index

References

Ferro, C. A., & Segers, J. (2003). Inference for clusters of extreme values. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 65(2), 545-556.

Examples

```
n <- 1e2
x <- runif(n)
extremal(x > .9)

y <- sort(sample(n, n - 5))
x2 <- x[y]
extremal(x2 > .9, y)
```

family.evgam

*Distribution families in **evgam***

Description

Various distributions can be fitted with function `evgam` using `family = "..."`, where options for ... are given below. The default is `family = "gev"`.

Details

The following families are currently available using `evgam(..., family = "...")`.

- "ald", the asymmetric Laplace distribution. This is primarily intended for quantile regression, as in Yu & Moyeed (2001);
- "gev" (default), the generalised extreme value (GEV) distribution;
- "exp", the exponential distribution;
- "gpd", the generalised Pareto distribution;
- "gauss", the Gaussian distribution.
- "pp", the point process model for extremes. This is implemented through r -largest order statistics. See Details below.
- "weibull", the Weibull distribution;
- "exi", estimation if the extremal index. See Schlather & Tawn (2003) and Details below.
- "egpd", the extended generalised Pareto distribution. See Naveau et al. (2016) and Details below;
- "bgev", the blended GEV distribution. See Castro-Camilo et al (2022) and Details
- "condex", the conditional extreme value model. See Details
- "custom", custom distributions. See `custom.evgam` for an example of use.

Arguments for the asymmetric Laplace distribution are given by `ald.args`. A scalar `tau` defines the quantile sought, which has no default. The scalar `C` specifies the curvature parameter of Oh et al. (2011).

Arguments for extremal index estimation are given by `exi.args`. A character string `id` specifies the variable in `dataover` which an `nexi` (default 2) running max. has been taken. The link is specified as a character string, which is one of "logistic", "probit", "cloglog"; defaults to "logistic".

Arguments for the point process model are given by `pp.args`. An integer `r` specifies the number of order statistics from which the model will be estimated. If `r = -1`, all data will be used. The character string `id` specifies the variable in data over which the point process isn't integrated; e.g. if a map of parameter estimates related to extremes over time is sought, integration isn't over locations. The scalar `nper` number of data per period of interest; scalar or integer vector `ny` specifies the number of periods; if `length(ny) > 1` then `names(ny)` must be supplied and must match to every unique `id`. logical `correctny` specifies whether `ny` is corrected to adjust proportionally for data missingness.

Arguments for the point process model are given by `bgev.args`. Probabilities `pa` and `pb` specify the lower and upper probabilities at the which the Gumbel distribution blends into a GEV distribution. Then `alpha` and `beta` specify the quantile and its range, respectively, used to parameterise the GEV distribution. Defaults are `pa = 0.05` and `pb = 0.2` and `alpha = beta = 0.5`, as used in Castro-Camilo et al (2022).

Arguments for extended Pareto distribution are given by `egpd.args`. An integer, `model`, specifies which model from Naveau et al. (2016) to fit. The first two parameters of each are the GPD's log scale and shape parameters, $(\log \psi, \xi)$. Then, in the notation of Naveau et al. (2016) the remaining parameters are $(\log \kappa)$, $(\log \kappa_1, \log \kappa_2, \text{logit}(p))$, $(\log \delta)$ and $(\log \delta, \log \kappa)$ for models i, ii, iii and iv, respectively, which are specified with `model = 1, 2, 3 or 4`, respectively.

See [evgam](#) for examples.

References

- Castro-Camilo, D., Huser, R., & Rue, H. (2022). Practical strategies for generalized extreme value-based regression models for extremes. *Environmetrics*, 33(6), e2742. doi:10.1002/env.2742
- Naveau, P., Huser, R., Ribereau, P., and Hannart, A. (2016), Modeling jointly low, moderate, and heavy rainfall intensities without a threshold selection, *Water Resources Research*, 52, 2753-2769. doi:10.1002/2015WR018552
- Oh, H. S., Lee, T. C., & Nychka, D. W. (2011). Fast nonparametric quantile regression with arbitrary smoothing methods. *Journal of Computational and Graphical Statistics*, 20(2), 510-526. doi:10.1198/jcgs.2010.10063
- Schlather, M., & Tawn, J. A. (2003). A dependence measure for multivariate and spatial extreme values: Properties and inference. *Biometrika*, 90(1), 139-156. doi:10.1093/biomet/90.1.139
- Youngman, B. D. (2022). *evgam: An R Package for Generalized Additive Extreme Value Models*. *Journal of Statistical Software*. doi:10.18637/jss.v103.i03
- Yu, K., & Moyeed, R. A. (2001). Bayesian quantile regression. *Statistics & Probability Letters*, 54(4), 437-447. doi:10.1016/S01677152(01)001249

See Also

[evgam](#)

FCTmax

Fort Collins, Colorado, US daily max. temperatures

Description

Daily maximum temperatures at Fort Collins, Colorado, US from 1st January 1970 to 31st December 2019

Usage

```
data(FCTmax)
```

Format

A data frame with 18156 rows and 2 variables

The variables are as follows:

date date of observation

tmax daily maximum temperature in degrees Celcius

Examples

```
library(evgam)
data(FCTmax)
```

fitted.evgam

Extract Model Fitted Values

Description

Extract Model Fitted Values

Usage

```
## S3 method for class 'evgam'
fitted(object, ...)
```

Arguments

<code>object</code>	a fitted evgam object
<code>...</code>	not used

Value

Fitted values extracted from the object 'object'.

Examples

```
data(fremantle)
fmla_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fmla_gev, fremantle, family = "gev")
fitted(m_gev)
```

fremantle

Annual Maximum Sea Levels at Fremantle, Western Australia

Description

The 'fremantle' data frame has 86 rows and 3 columns. The second column gives 86 annual maximum sea levels recorded at Fremantle, Western Australia, within the period 1897 to 1989. The first column gives the corresponding years. The third column gives annual mean values of the Southern Oscillation Index (SOI), which is a proxy for meteorological volatility.

Usage

```
data(fremantle)
```

Format

A data frame with 86 rows and 3 variables

The variables are as follows:

Year a numeric vector of years

SeaLevel a numeric vector of annual sea level maxima

SOI A numeric vector of annual mean values of the Southern Oscillation Index

Source

Coles, S. G. (2001) *An Introduction to Statistical Modelling of Extreme Values*. London: Springer.

Eric Gilleland's ismev R package.

Examples

```
library(evgam)
data(fremantle)
```

geoevgam

*Fit Geometric Extreme Value Generalized Additive Models***Description**

Fits a two-stage model consisting of a threshold model (using Asymmetric Laplace Distribution) and an exceedance model (using a Gamma-type distribution).

Usage

```
geoevgam(
  formula,
  data,
  args = list(),
  trace = 0,
  knots = list(threshold = NULL, excess = NULL),
  norm = 2
)
```

Arguments

formula	A list of two formulas named threshold and excess. If missing, defaults to smooth angular terms.
data	A data frame containing the variables in the model, including radius and angle.
args	A list of additional arguments. tau (quantile) defaults to 0.8.
trace	Integer vector of length 1 or 2. Control verbose output for both fitting stages.
knots	A list containing knot specifications for threshold and excess.
norm	The L-p norm used in the geometric calculations. Defaults to 2.

Value

An object of class geoevgam containing the fitted models and the norm used.

References

Murphy-Barltrop, C.J.R., Wadsworth, J.L., Carvalho, M.d., Youngman, B.D. Modelling non-stationary extremal dependence through a geometric approach. *Extremes* (2026). doi:10.1007/s10687026-00543w

Examples

```
n <- 1e3
gauss_sim_data <- rmvnorm(n, numeric(2), matrix(c(1, .8, .8, 1), 2))
laplace_sim_data <- qlaplace(pnorm(gauss_sim_data))
polar1 <- polarise(t(laplace_sim_data), norm = 2)
data1 <- data.frame(radius = polar1$r, angle = polar1$phi[1, ])
```

```

fit1 <- geoevgam(data = data1)

# example using L_1 norm
polar2 <- polarise(t(laplace_sim_data), norm = 1)
data2 <- data.frame(radius = polar2$r, angle = polar2$phi[1, ])
fit2 <- geoevgam(data = data2)

# example using different threshold and user-specified splines and knots
angles <- seq(0, 2 * pi, by = pi / 4)
angles <- sort(c(angles, outer(c(pi / 4, pi + pi / 4), c(-pi / 16, pi / 16), '+')))
fmla <- knts <- list()
knts$threshold <- knts$excess <- list(angle = angles)
fmla$threshold <- fmla$excess <- radius ~ s(angle, bs = 'cp', k = length(angles) - 1)
fit3 <- geoevgam(data = data1, formula = fmla, knots = knts, args = list(tau = .9))

```

laplace

*The Laplace Distribution***Description**

Density, distribution function, quantile function and random generation for the Laplace distribution with location location and scale scale.

Usage

```

dlaplace(x, location = 0, scale = 1, log = FALSE)

plaplace(q, location = 0, scale = 1, lower.tail = TRUE, log.p = FALSE)

qlaplace(p, location = 0, scale = 1, lower.tail = TRUE, log.p = FALSE)

rlaplace(n, location = 0, scale = 1)

```

Arguments

x, q	vector of quantiles.
location	location parameter (mean).
scale	scale parameter (must be positive).
log, log.p	logical; if TRUE, probabilities p are given as log(p).
lower.tail	logical; if TRUE (default), probabilities are $P[X \leq x]$, otherwise, $P[X > x]$.
p	vector of probabilities.
n	number of observations.

Value

dlaplace gives the density, plaplace gives the distribution function, qlaplace gives the quantile function, and rlaplace generates random deviates.

logLik.evgam	<i>Log-likelihood, AIC and BIC from a fitted evgam object</i>
--------------	---

Description

Log-likelihood, AIC and BIC from a fitted evgam object

Usage

```
## S3 method for class 'evgam'
logLik(object, ...)
```

Arguments

object	a fitted evgam object
...	not used

Value

A scalar

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
logLik(m_gev)
AIC(m_gev)
BIC(m_gev)
```

pinv	<i>Moore-Penrose pseudo-inverse of a matrix</i>
------	---

Description

Moore-Penrose pseudo-inverse of a matrix

Usage

```
pinv(x, tol = -1)

ginv.evgam(x, tol = sqrt(.Machine$double.eps))
```

Arguments

x	a matrix
tol	a scalar

Details

This function is merely a wrapper for Armadillo's `pinv` function with its default settings, which, in particular uses the divide-and-conquer method. If `tol` isn't provided Armadillo's default for `pinv` is used. `ginv.evgam` mimics [ginv](#) using Armadillo's `pinv`.

Value

A matrix

References

<http://arma.sourceforge.net/docs.html#pinv>

See Also

[ginv](#)

plot.evgam	<i>Plot a fitted evgam object</i>
------------	-----------------------------------

Description

Plot a fitted evgam object

Usage

```
## S3 method for class 'evgam'
plot(x, onepage = TRUE, which = NULL, main, ask = !onpage, ...)
```

Arguments

x	a fitted evgam object
onpage	logical: should all plots be on one page, or on separate pages? Defaults to TRUE
which	a vector of integers identifying which smooths to plot. The default NULL plots all smooths
main	a character string or vector of plot titles for each plot. If not supplied default titles are used
ask	logical: ask to show next plots if too many figures for current device?
...	extra arguments to pass to plot.gam

Value

Plots representing all one- or two-dimensional smooths

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
plot(m_gev)
```

plot.geoevgam	<i>Plot results of a geoevgam fit</i>
---------------	---------------------------------------

Description

Plot results of a geoevgam fit

Usage

```
## S3 method for class 'geoevgam'
plot(
  x,
  type = c("threshold", "excess"),
  view = c("polar", "cartesian"),
  norm,
  margins = "original",
  ...
)
```

Arguments

x	An object of class geoevgam.
type	Character vector specifying plot types: "threshold", "excess", "gauge", or "qq-plot".
view	Character specifying the coordinate system for gauge plots: "polar" or "cartesian".
norm	Numeric; the norm to use for the gauge plot. Defaults to the norm used in object.
margins	Character; margin type for QQ-plots. Defaults to "original".
...	Additional arguments passed to the underlying plot functions.

Examples

```

n <- 1e3
gauss_sim_data <- rmvnorm(n, numeric(2), matrix(c(1, .8, .8, 1), 2))
laplace_sim_data <- qlaplace(pnorm(gauss_sim_data))
polar1 <- polarise(t(laplace_sim_data), norm = 2)
data1 <- data.frame(radius = polar1$r, angle = polar1$phi[, ])
fit1 <- geoevgam(data = data1)
plot(fit1)
plot(fit1, type = 'gauge', col = 2, lwd = 2, view = 'cartesian')
par(mfrow = c(2, 2))
plot(fit1, type = 'qqplot')
plot(fit1, type = 'qqplot2')
plot(fit1, type = 'qqplot', margins = 'uniform')
plot(fit1, type = 'qqplot2', margins = 'uniform')

# example using L_1 norm
polar2 <- polarise(t(laplace_sim_data), norm = 1)
data2 <- data.frame(radius = polar2$r, angle = polar2$phi[, ])
fit2 <- geoevgam(data = data2, norm = 1)
# passing norm ensures plotted gauge is correct
plot(fit2, type = 'gauge', col = 2, lwd = 2, view = 'cartesian')

```

polarise

*Convert Cartesian coordinates to Polar coordinates***Description**

Convert Cartesian coordinates to Polar coordinates

Usage

```
polarise(x, norm = 2)
```

Arguments

x	A matrix with exactly 2 rows representing the x and y coordinates.
norm	A numeric value specifying the L-p norm for calculating the radius. Defaults to 2 (Euclidean).

Value

A list containing:

r	The calculated radii (distances from origin).
phi	The angles in radians, adjusted to the range $[0, 2\pi]$.

predict.evgam

*Predictions from a fitted evgam object***Description**

Predictions from a fitted evgam object

Usage

```
## S3 method for class 'evgam'
predict(
  object,
  newdata,
  type = "link",
  prob = NULL,
  se.fit = FALSE,
  marginal = TRUE,
  exi = FALSE,
  as.gev = FALSE,
  margins = "original",
  trace = 0,
  ...
)
```

Arguments

object	a fitted evgam object
newdata	a data frame
type	a character string giving the type of prediction sought; see Details. Defaults to "link"
prob	a scalar or vector of probabilities for quantiles to be estimated if type == "quantile"; defaults to 0.5
se.fit	a logical: should estimated standard errors be returned? Defaults to FALSE
marginal	a logical: should uncertainty estimates integrate out smoothing parameter uncertainty? Defaults to TRUE
exi	a logical: if a dependent GEV is fitted should the independent parameters be returned? Defaults to FALSE
as.gev	a logical: should blended GEV parameters be converted to GEV parameters? Defaults to FALSE
margins	a character string giving the QQ-plot margins. Defaults to original scale
trace	an integer where higher values give more output. -1 suppresses everything. Defaults to 0
...	passed to plot if type == 'qqplot' or type == 'qqplot2'

Details

There are five options for type: 1) "link" distribution parameters transformed to their model fitting scale; 2) "response" as 1), but on their original scale; 3) "lpmatrix" a list of design matrices; 4) "quantile" estimates of distribution quantile(s); and 5) "qqplot" a quantile-quantile plot.

Value

A data frame or list of predictions, or a plot if type == "qqplot"

References

Youngman, B. D. (2022). evgam: An R Package for Generalized Additive Extreme Value Modules. Journal of Statistical Software. To appear. doi:[10.18637/jss.v103.i03](https://doi.org/10.18637/jss.v103.i03)

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
# prediction of link GEV parameter for fremantle data
predict(m_gev)
# predictions for Year 1989
y1989 <- data.frame(Year = 1989)
# link GEV parameter predictions
predict(m_gev, y1989)
# GEV parameter predictions
predict(m_gev, y1989, type= "response")
# 10-year return level predictions
predict(m_gev, y1989, type= "quantile", prob = .9)
# 10- and 100-year return level predictions
predict(m_gev, y1989, type= "quantile", prob = c(.9, .99))
```

predict.geoevgam	<i>Predictions from a geoevgam fit</i>
------------------	--

Description

Generates predictions from the threshold and/or exceedance components of a fitted geoevgam model. This is a convenience wrapper around the corresponding predict() methods for the underlying fitted evgam objects.

Usage

```
## S3 method for class 'geoevgam'
predict(object, model = c("threshold", "excess"), ...)
```

Arguments

object	An object of class <code>geoevgam</code> .
model	Character vector specifying which component(s) to predict from. Possible values are "threshold" and "excess".
...	Additional arguments passed to the underlying <code>predict.evgam()</code> method, such as <code>newdata</code> , <code>type</code> , or <code>std.err</code> .

Value

If a single model component is requested, the corresponding prediction object returned by `predict.evgam()`. If multiple components are requested, a named list containing predictions for each requested model component.

Examples

```
n <- 1e3
gauss_sim_data <- rmvnorm(n, numeric(2), matrix(c(1, .8, .8, 1), 2))
laplace_sim_data <- qlaplace(pnorm(gauss_sim_data))
polar1 <- polarise(t(laplace_sim_data))
data1 <- data.frame(radius = polar1$r, angle = polar1$phi[, 1])

fit1 <- geoevgam(data = data1)

# threshold predictions
pred_thresh <- predict(fit1, model = "threshold")

# exceedance predictions on a grid of angles
newdata <- data.frame(angle = seq(0, 2 * pi, length.out = 100))
pred_excess <- predict(fit1, model = "excess",
                      newdata = newdata, type = "response")

# predictions from both components
pred_both <- predict(fit1,
                    model = c("threshold", "excess"),
                    newdata = newdata)
```

print.evgam

Print a fitted evgam object

Description

Print a fitted `evgam` object

Usage

```
## S3 method for class 'evgam'
print(x, ...)
```

Arguments

x	a fitted evgam object
...	not used

Value

The call of the evgam object

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
print(m_gev)
```

qev

Quantile estimation of a composite extreme value distribution

Description

Quantile estimation of a composite extreme value distribution

Usage

```
qev(
  p,
  loc,
  scale,
  shape,
  m = 1,
  alpha = 1,
  theta = 1,
  family,
  tau = 0,
  bgev.args = list(pa = 0.05, pb = 0.2, alpha = 0.5, beta = 0.5),
  start = NULL,
  method = "uniroot"
)
```

Arguments

p	a scalar giving the quantile of the distribution sought
loc	a scalar, vector or matrix giving the location parameter
scale	as above, but scale parameter
shape	as above, but shape parameter

m	a scalar giving the number of values per return period unit, e.g. 365 for daily data giving annual return levels
alpha	a scalar, vector or matrix of weights if within-block variables not identically distributed and of different frequencies
theta	a scalar, vector or matrix of extremal index values
family	a character string giving the family for which return levels sought
tau	a scalar, vector or matrix of values giving the threshold quantile for the GPD (i.e. 1 - probability of exceedance)
bgev.args	a list specifying parameters of the blended GEV distribution; see Details
start	a 2-vector giving starting values that bound the return level
method	a character string giving the numerical estimation procedure; defaults to "uniroot"

Details

If F is the generalised extreme value, generalised Pareto or blended GEV distribution, `gev` solves

$$\prod_{j=1}^n \{F_i(z)\}^{m\alpha_j\theta_j} = p.$$

for $i = 1, \dots, k$. So vectors are supplied as n -vectors and matrices are supplied as $n \times k$ matrices.

For all distributions, location, scale and shape parameters are given by `loc`, `scale` and `shape`. The generalised Pareto distribution, for $\xi \neq 0$ and $z > u$, is parameterised as $1 - (1 - \tau)[1 + \xi(z - u)/\psi_u]^{-1/\xi}$, where u , ψ_u and ξ are its location, scale and shape parameters, respectively, and τ corresponds to argument `tau`. For the blended GEV distribution `pa`, `pb`, `alpha` and `beta` specify additional parameters of the blended GEV distribution; see `family.evgam` for details.

Estimates either use function `uniroot` or `method = "newton"` uses the Newton-Raphson method. The latter is often much quicker if matrices are supplied, i.e. for $k > 1$.

Value

A scalar or vector of estimates of p

Examples

```

gev(0.9, c(1, 2), c(1, 1.1), .1, family = "gev")
gev(0.99, c(1, 2), c(1, 1.1), .1, family = "gpd", tau = 0.9)

# an example representative on monthly estimates at two locations
gev(0.9, matrix(c(1:12, 2:13), 12, 2), 1.1, .1, family = "gev")

# a blended GEV example with default blended GEV specification
gev(0.9, matrix(c(1:12, 2:13), 12, 2), 1.1, .1, family = "bgev")

```

rmvnorm

*Generate Random Multivariate Normal Draws via Pivoted Cholesky***Description**

An internal utility to simulate from a MVN distribution. By using a pivoted Cholesky decomposition, the function can handle semi-definite covariance matrices by effectively reducing the dimensionality to the numerical rank of the matrix.

Usage

```
rmvnorm(n, mu, Sig)
```

Arguments

n	Integer; the number of samples to generate.
mu	Numeric vector; the mean vector of length p.
Sig	Numeric matrix; the p x p covariance matrix.

Details

The function extracts the pivoting index and the numerical rank from the result of `chol(Sig, pivot = TRUE)`. It then generates independent standard normal draws of dimension r (the rank) and transforms them using the Cholesky factor to match the target covariance and mean.

Value

A matrix of dimension n x p where each row is a random draw from the specified MVN distribution.

runmax

*Running maximum***Description**

Running *n*-value maximum and data frame with variable swapped for running maximum

Usage

```
runmax(y, n)
```

```
dfrunmax(data, cons, ynm, n = 2)
```

Arguments

y	a vector
n	an integer giving the number of observations to calculate running maximum over; defaults to 2
data	a data frame
cons	a character string for the variable in data that identifies consecutive observations
ynm	a character string for the variable in data that is the observations

Value

runmax returns a vector of the same dimension as y

dfrunmax returns a data frame with observations swapped for n -observation running maximum

Examples

```
runmax(runif(10), 5)
```

seq_between	<i>More Sequence Generation</i>
-------------	---------------------------------

Description

Generate a sequence of values between a range.

Usage

```
seq_between(x, length = NULL)
```

Arguments

x	a 2-vector
length	an integer

Value

A vector

See Also

[seq](#), [seq_len](#), [seq_along](#)

Examples

```
seq_between(c(1, 9))
seq_between(range(runif(10)), 5)
```

simulate.evgam	<i>Simulations from a fitted evgam object</i>
----------------	---

Description

Simulations from a fitted evgam object

Usage

```
## S3 method for class 'evgam'
simulate(
  object,
  nsim = 1000,
  seed = NULL,
  newdata,
  type = "link",
  probs = NULL,
  threshold = 0,
  marginal = TRUE,
  ...
)
```

Arguments

object	a fitted evgam object
nsim	an integer giving the number of simulations
seed	an integer giving the seed for simulations
newdata	a data frame
type	a character string, as in <code>predict.evgam</code> ; defaults to "quantile"
probs	a scalar or vector of probabilities for quantiles; defaults to NULL
threshold	a scalar, vector or matrix, which is added to each simulation if <code>family == "gpd"</code> ; defaults to 0
marginal	a logical: should simulations integrate out smoothing parameter uncertainty? Defaults to TRUE
...	arguments to be passed to <code>predict.evgam</code>

Value

Simulations of parameters or quantiles

See Also

[predict.evgam](#)

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
# simulations of link GEV parameters for fremantle data
simulate(m_gev, nsim=5)
# simulations for Year 1989
y1989 <- data.frame(Year = 1989)
# link GEV parameter simulations
simulate(m_gev, nsim=5, newdata = y1989)
# GEV parameter simulations
simulate(m_gev, nsim=5, newdata = y1989, type = "response")
# 10-year return level simulations
simulate(m_gev, nsim=5, newdata = y1989, type= "quantile", prob = .9)
# 10- and 100-year return level simulations
simulate(m_gev, nsim=5, newdata = y1989, type= "quantile", prob = c(.9, .99))
```

summary.evgam

Summary method for a fitted evgam object

Description

Summary method for a fitted evgam object

Usage

```
## S3 method for class 'evgam'
summary(object, ...)

## S3 method for class 'summary.evgam'
print(x, ...)
```

Arguments

object	a fitted evgam object
...	not used
x	a summary.evgam object

Details

The key part of summary.evgam is p-values for smooths. The tests use code directly taken from mgcv 1.8-14. This is to avoid use of mgcv:::. Tests implement the method of Wood (2013).

Value

A summary.evgam object

References

Wood, S. N., (2013) On p-values for smooth components of an extended generalized additive model, *Biometrika* 100(1) 221–228

Examples

```
data(fremantle)
fm1a_gev <- list(SeaLevel ~ s(Year, k=5, bs="cr"), ~ 1, ~ 1)
m_gev <- evgam(fm1a_gev, fremantle, family = "gev")
summary(m_gev)
```

Index

* datasets

C0prcp, 7
FCtmax, 20
fremantle, 21

bgev, 2
bgev2gev, 4

C0elev (C0prcp), 7
colplot, 6
C0prcp, 7
C0prcp_meta (C0prcp), 7
custom.family.evgam, 8, 14

dbgev, 6
dbgev (bgev), 2
df2matdf, 11
dfbind, 12
dfrunmax (runmax), 33
dlaplace (laplace), 23
duplicated, 11

evgam, 12, 19
evgam.control, 16
expand.grid, 13
extremal, 17

family.evgam, 9, 14, 18
FCtmax, 20
fitted.evgam, 20
fremantle, 21

gam, 13
geoevgam, 22
gev2bgev (bgev2gev), 4
ginv, 25
ginv.evgam (pinv), 24

heat.colors, 7

laplace, 23

legend, 7
logLik.evgam, 24

match, 11

pbgev (bgev), 2
pinv, 24
plaplace (laplace), 23
plot, 7
plot.evgam, 25
plot.gam, 25
plot.geoevgam, 26
polarise, 27
predict.evgam, 4, 15, 28, 35
predict.geoevgam, 29
pretty, 6, 7
print.evgam, 30
print.summary.evgam (summary.evgam), 36

qbgev (bgev), 2
qev, 31
qlaplace (laplace), 23

rbgev (bgev), 2
rbind, 12
rlaplace (laplace), 23
rmvnorm, 33
runmax, 33

s, 14
seq, 34
seq_along, 34
seq_between, 34
seq_len, 34
simulate.evgam, 35
summary.evgam, 36

unique, 11