

Package ‘mogui’

October 13, 2022

Type Package

Title Graphical User Interface to the ‘mi’ Package

Version 1.3

Date 2022-06-08

Description This GUI for the mi package walks the user through the steps of multiple imputation and the analysis of completed data.

License GPL (>= 2)

Suggests foreign, gWidgets2tcltk

Imports mi (>= 1.1), arm, methods

Depends gWidgets2

NeedsCompilation no

Author Bob Carpenter [ctb],
Ben Goodrich [cre, aut],
Yu-Sung Su [ctb]

Maintainer Ben Goodrich <benjamin.goodrich@columbia.edu>

Repository CRAN

Date/Publication 2022-06-08 16:40:02 UTC

R topics documented:

mogui	2
Index	3

`migui`*Function to Execute the Graphical User Interface*

Description

This function initiates the Graphical User Interface (GUI) for the **mi** package, making it easier to walk through the series of steps that are necessary to impute missing values and analyze completed data

Usage

```
migui(tk = "tcltk")
```

Arguments

<code>tk</code>	Character string indicating which toolkit to use. Currently, only "tcltk" (the default) is viable.
-----------------	----------------------------------------------------------------------------------------------------

Value

Nothing is returned.

Note

The GUI requires one of the backends supported by the **gWidgets2** package. At the moment, the only backend that is still on CRAN is provided by the **gWidgets2tcltk** package.

Author(s)

Ben Goodrich

See Also

[mi-package](#)

Examples

```
## Not run:  
migui("RGtk2")  
  
## End(Not run)
```

Index

migui, [2](#)